



**helper**  
**MINI**

**ONBOARD WEIGHING SOLUTIONS  
FOR COMPACT MACHINES**



## THE MOST SIMPLE SOLUTION



LOAD YOUR TRUCKS OR MOVE YOUR INVENTORY WITHOUT GUESS

The most simple and cost-effective solution combined with VET weighing technology makes it the ideal tool for primary weighing requirements. With its small size it can be fitted into the most convenient spot in the cabin.

- Blue/White LCD display
- User friendly interface
- Plug and play connection with the printer
- Easy mounting and positioning

## FEATURES

- In-motion weighing
- Accuracy of 0 to  $\pm 1\%$
- Real-time bucket tip off
- Product listing
- Product production recording
- Load ID listing with targets
- One loader calibration
- Blending
- 4000kg/8.800lb maximum capacity
- Two calibrations now available
- Option:**
- High speed thermal printer



## MINI, ROBUST AND ACCURATE

Mini but strong with all the credentials for an accurate weighing

- High precision
- Minimum components with no junction boxes
- Prevent overloading/underloading
- Target and Incremental Weighing
- Product loadout tracking
- Truck load printout
- One Recipe for mixing operations

HELPER MINI IS A COST EFFECTIVE TOOL TO RELY ON

# EASY PLUG AND PLAY PRINTOUT

HIGH SPEED THERMAL PRINTING FOR YOUR TRUCKS LOAD OUT RECEIPTS

The Printer is Plug and Play for an easy add-on. Print your truck loads right on the spot!



Printouts available are:

- Truck load out
- Recipe loading
- Products sales overall total



## COMPACT WHEEL LOADER

## FORK-LIFT TRUCK




- 1** helper mini onboard instrumentation
- 2** Contact-free weighing zone sensor
- 3** Load sensors to know the lifting pressure

## OTHER HELPER MINI APPLICATIONS



**WORLDWIDE NETWORK**  
**53 TRAINED DISTRIBUTORS IN 60 COUNTRIES**  
**THOUSANDS OF SYSTEMS INSTALLED**  
PROVIDING CUSTOMER SUPPORT AND ON-SITE TRAINING **SINCE 1986**



Get information on the top products

**XXES**



**OTHER VEI APPLICATIONS**



[www.veigroup.com](http://www.veigroup.com) - [info@veigroup.com](mailto:info@veigroup.com)

